

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	BILL No 1		
	GENERAL REPAIRS		
	<u>EARTHWORKS</u>		
	ORDINARY EXCAVATION, FILLING, ETC.		
	Excavation in earth not exceeding 1m deep for :		
1	Trenches and holes	m3	204.35
	Excavation in earth exceeding 1m deep for :		
2	Trenches and holes	m3	221.62
	Extra over trench and hole excavations in earth for excavation in :		
3	Soft rock (the use of jack hammers is necessary)	m3	560.69
4	Hard rock (blasting is necessary)	m3	942.05
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick:		
5	Backfilling to trenches, holes, etc.	m3	124.79
	CONCRETE BASES, ETC.		
	Concrete class 20MPa/19mm in :		
6	Base size 1 000mm x 1 000mm x 500mm deep to support pole not exceeding 3 metres high including all necessary excavation, casing, etc.	No	1,055.15
7	Base size 1 000mm x 1 000mm x 500mm deep to support pole not exceeding 6 metres high including all necessary excavation, casing, etc.	No	1,145.89
8	Base size 1 000mm x 1 000mm x 500mm deep to support pole not exceeding 9 metres high including all necessary excavation, casing, etc.	No	1,257.41
	Bill No. 1 GENERAL REPAIRS Initial here		



<u>Item</u> No		<u>Unit</u>	Rate
<u> </u>	Cutting through surface beds, etc.:		
9	Cut through 100mm concrete surface bed 500mm wide and later make good filling, apply soil insecticide and make good damp proof membrane and concreto surface bed	m	355.04
	REPAIRS TO EXISTING PLASTERED SURFACES		
	One coat external cement plaster wood floated smooth:		
10	Hack off external plaster not exceeding 100mm wide and replaster and repaint to match existing	m	74.59
	One coat internal compo plaster steel trowelled smooth:		
11	Hack off internal plaster not exceeding 100mm wide and replaster and repaint to match existing	m	83.28
	REPAIRS TO FLOOR COVERINGS		
12	Replace tiles in repairs in isolated areas with new 300mm x 300mm x 2.5mm semi-flexible vinyl tiles fixed with adhesive including preparation	m2	490.63
13	Replace tiles in repairs in isolated areas with new 300mm x 300mm x 2mm fully flexible vinyl tiles fixed with adhesive including preparation	m2	511.72
14	Replace sheeting in repairs in isolated areas with new 2mm fully flexible vinyl sheeting with welded joints fixed with adhesive including preparation	m2	569.14
15	Replace sheeting in repairs in isolated areas with new 3.5mm heavy duty embossed fully flexible vinyl sheeting with welded joints fixed with adhesive including preparation	m2	610.90
16	Replace tiles in repairs in isolated areas with new 608mm x 608mm x 2mm electrostatic conductive vinyl tiles fixed with adhesive including preparation	m2	674.64
17	Replace sheeting in repairs in isolated areas with new 2.5mm "Marmoleum" fully flexible linoleum floor sheeting with welded joints fixed with adhesive including preparation	m2	650.36
18	Replace tiles in repairs in isolated areas with new 500mm x 500mm x 8mm "Florpoint" heavy duty carpet tiles fixed with adhesive including preparation	m2	636.64
19	Replace carpeting in repairs in isolated areas with new needle punched plain resin backed heavy residential grade broadloom carpeting to match existing fixed with adhesive including preparation	m2	634.35
	Bill No. 1 GENERAL REPAIRS Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
110			
	Bill No. 1		
	GENERAL REPAIRS Initial here		
	Titual nete		



<u>Item</u> No		<u>Unit</u>	Rate
	SUNDRY REPAIRS		
	Interlocking paving, slasto or precast slab pavings :		
20	Lift up interlocking paving stones, slasto or precast paving slabs, set aside for re-use, scarify and compact existing surface under, provide and lay additional base course and clean sand bedding as necessary and re-lay paving stones, slasto or paving slabs	m2	317.64
	CHASING IN BRICK WALLS, (PIERS, ETC., ELSEWHERE MEASURED)		
	Chasing in of galvanised/PVC pipes, channels, trunking, etc., in a straight line :		
21	21mm - 25mm PVC pipes	m	41.44
22	32mm - 50mm PVC pipes	m	106.29
23	O.L. 1 000 Galvanised trunking	m	155.06
24	O.L. 2 000 Galvanised trunking	m	129.04
25	O.L. 4 000 Galvanised trunking	m	129.45
26	O.L. 8 000 Galvanised trunking	m	170.72
27	O.L. 9 000 Galvanised trunking	m	193.00
28	16mm x 16mm PVC trunking	m	49.65
29	25mm x 16mm PVC trunking	m	57.19
30	40mm x 16mm PVC trunking	m	62.18
31	40mm x 25mm PVC trunking	m	67.20
32	40mm x 40mm PVC trunking	m	97.62
	MAKING GOOD OF FINISHES		
33	Cement plaster and painting in chasing of flush installation	m	65.92
	Bill No. 1 GENERAL REPAIRS Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
34	Painting of pipes	m	43.59
35	Cables not exceeding 50mm²	m	48.56
	TAKING UP AND REMOVING		
36	Trunking, channels and pipes	m	63.65
	TAKING DOWN, STORING AND SETTING ASIDE FOR RE-USE LATER AND INSTALL OR RE-FIX		
37	Cables not exceeding 50mm²	m	56.20
38	PVC/galvanised trunking	m	47.32
39	PVC/galvanised pipes	m	46.23
40	Channels	m	46.23
41	Removal of old wiring circuit fall out	m	51.22
42	Removal of old light fittings	m	101.56
	SCAFFOLDING		
	The contractor must provide all necessary scaffolding for any and all work required to single storey buildings and to use the insides of building irrespective of the height of the building as no additional payment will be made in this regard		
	Scaffolding will only be measured and paid for work to the external face of the building where thebuilding is higher than one storey and to the actual height of the scaffolding erected		
	The contractor must ensure the stability of the scaffolding at all times and must provide adequate safety rails, barriers and walkways for the workmen using the scaffolding. No materials may be stored on scaffolding		
	The height of the scaffolding stated includes the ground floor level		
43	Scaffolding to the external face of double storey buildings	m	1,678.09
	Bill No. 1 GENERAL REPAIRS Initial here		



<u>Item</u>			<u>Unit</u>	Rate
<u>No</u> 44	Scaffolding to the external face of three storey buildings		m	3,190.37
45	Scaffolding to the external face of four storey buildings		m	5,064.29
46	Scaffolding to the external face of five storey buildings		m	6,942.92
47	Scaffolding to the external face of six storey buildings		m	8,195.03
48	Scaffolding to the external face of seven storey buildings		m	9,483.88
49	Scaffolding to the external face of eight storey buildings		m	11,176.75
50	Scaffolding to the external face of nine storey buildings		m	12,507.68
51	Scaffolding to the external face of ten storey buildings		m	14,186.82
	Bill No. 1			
	GENERAL REPAIRS	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	BILL No 2		
	LOW TENSION DISTRIBUTION		
	BLACK ENAMELLED CONDUIT		
	Cast in concrete, surface bed or screed :		
52	20mm Diameter	m	82.58
53	25mm Diameter	m	93.41
54	32mm Diameter	m	128.38
	Chased and/or fixed in brickwork not exceeding 3000mm above floor level (making good of chase by others):		
55	20mm Diameter	m	86.58
56	25mm Diameter	m	98.16
57	32mm Diameter	m	128.73
	Fixed in dry wall partitioning not exceeding 3000mm above floor level :		
58	20mm Diameter	m	81.00
59	25mm Diameter	m	92.90
60	32mm Diameter	m	118.65
	Surface mounted to brickwork, concrete, steel, wood, roof members, etc., not exceeding 3000 mm above floor level:		
61	20mm Diameter	m	81.30
62	25mm Diameter	m	93.74
63	2 Compartment power skirting	m	1,008.27
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
64	32mm Diameter	m	123.68
	Suspended from steel trusses or concrete slab with and including hangers not exceeding 1000mm long and not exceeding 3000mm above floor level:		
65	20mm Diameter	m	96.32
66	25mm Diameter	m	112.97
67	32mm Diameter	m	143.61
	Surface mounted to brickwork, concrete, steel, wood, roof members, etc exceeding 3000mm above floor level:		
68	20mm Diameter	m	83.16
69	25mm Diameter	m	92.68
70	32mm Diameter	m	124.61
	GALVANISED CONDUIT		
	Cast in concrete, surface bed or screed :		
71	20mm Diameter	m	99.71
72	25mm Diameter	m	119.04
73	32mm Diameter	m	154.61
	Laid in ground (excavations measured elsewhere) :		
74	20mm Diameter	m	94.07
75	25mm Diameter	m	112.27
76	32mm Diameter	m	150.68
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
	Laid in ground and encased in 75mm x 75mm concrete (excavations measured elsewhere) :		
77	20mm Diameter	m	104.17
78	25mm Diameter	m	123.54
79	32mm Diameter	m	157.46
	Chased and/or fixed in brickwork not exceeding 3000mm above floor level (making good of chase by others):		
80	20mm Diameter	m	101.86
81	25mm Diameter	m	121.46
82	32mm Diameter	m	160.80
	Fixed in dry wall partitioning not exceeding 3000mm above floor level :		
83	20mm Diameter	m	98.15
84	25mm Diameter	m	117.43
85	32mm Diameter	m	153.70
	Surface mounted to brickwork, concrete, steel, wood, roof members, etc not exceeding 3000mm		
86	above floor level: 20mm Diameter	m	102.88
87	25mm Diameter	m l	122.41
88	32mm Diameter	m	155.94
	Suspended from steel trusses or concrete slab with and including hangers not exceeding 1000mm long and not exceeding 3000mm above floor level:		
89	20mm Diameter	m	118.22
90	25mm Diameter	m	141.58
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
91	32mm Diameter	m	171.50
	Surface mounted to brickwork, concrete, steel, wood, roof members, etc not exceeding 3000mm above floor level:		
92	20mm Diameter	m	98.66
93	25mm Diameter	m	120.12
94	32mm Diameter	m	155.69
	RIGID PVC CONDUIT		
	Cast in concrete, surface bed or screed :		
95	20mm Diameter	m	44.76
96	25mm Diameter	m	55.17
97	32mm Diameter	m	73.22
	Laid in ground (excavations measured elsewhere) :		
98	20mm Diameter	m	46.16
99	25mm Diameter	m	55.45
100	32mm Diameter	m	71.29
	Chased and/or fixed in brickwork not exceeding 3000mm above floor level (making good of chase by others):		
101	20mm Diameter	m	49.37
102	25mm Diameter	m	57.49
103	32mm Diameter	m	73.13
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
110	Fixed in dry wall partitioning not exceeding 3000mm above floor level:		
104	20mm Diameter	m	46.61
105	25mm Diameter	m	54.38
106	32mm Diameter	m	69.97
	Surface mounted to brickwork, concrete, steel, wood, etc., not exceeding 3000mm above floor level:		
107	20mm Diameter	m	50.82
108	25mm Diameter	m	59.50
109	32mm Diameter	m	75.61
	Surface mounted to brickwork, concrete, steel, wood, roof members, etc., not exceeding 3000mm above floor level:		
110	20mm Diameter	m	58.40
111	25mm Diameter	m	71.05
112	32mm Diameter	m	88.09
	FLEXIBLE CONDUIT		
	Light gauge PVC flexible conduit :		
113	20mm Diameter x 300mm long complete with connectors at both ends	No	47.52
114	20mm Diameters x 1000mm long complete with connectors at both ends	No	79.77
115	25mm Diameter x 300mm long complete with connectors at both ends	No	52.13
116	25mm Diameter x 1000mm long complete with connectors at both ends	No	92.63
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	Galvanised steel flexible conduit with PVC sheath :		
117	20mm Diameter x 300mm long complete with connectors at both ends	No	117.57
118	20mm Diameter x 1000mm long complete with connectors at both ends	No	216.92
119	25mm Diameter x 300mm long complete with connectors at both ends	No	187.34
120	25mm Diameter x 1000mm long complete with connectors at both ends	No	257.02
121	32mm Diameter x 300mm long complete with connectors at both ends	No	164.26
122	32mm Diameter x 1000mm long complete with connectors at both ends	No	266.97
	DIII N		
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



Maintenance, Renovations, Repairs and Minor New Works on Low Tension Installations, Volume 2

Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
1.30	<u>SLEEVES</u>		
	Unplasticised polyvinyl chloride (UPVC) sleeve piping including short lengths and jointing.cast in concrete		
123	25mm Diameter	m	64.70
124	50mm Diameter	m	99.14
125	110mm Diameter	m	151.94
	Unplasticised polyvinyl chloride (UPVC) sleeve piping including short lengths and jointing, laid in trench (trench backfilling measured elsewhere)		
126	25mm Diameter	m	69.78
127	50mm Diameter	m	106.25
128	110mm Diameter	m	162.27
	Extra on UPVC piping for:		
129	25mm Diameter long radius bend	No	86.66
130	50mm Diameter long radius bend	No	121.85
131	110mm Diameter long radius bend	No	195.46
	EXCAVATIONS, ETC.		
	Excavate in earth and set excavated material aside for re-use as filling for:		
132	Cable or sleeve trenches not exceeding 1m deep	m3	245.22
133	Extra over excavations in 'earth' for cable or sleeve trenches in 'soft rock'	m3	348.91
134	Extra over excavations in 'earth' for cable or sleeve trenches in 'hard rock'	m3	727.78
135	Selected and approved material from the excavations, in backfilling in trenches, to specified density	m3	496.73
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



	<u>em</u> No		<u>Unit</u>	Rate
-	136	Surplus material from the excavations spread and levelled over the site as directed	m3	485.38
		<u>SUNDRIES</u>		
	137	Cable warning tape placed 150mm above cables in excavations	m	262.50
	138	Concrete cable slabs placed 150mm above cables in excavations	m	672.80
	139	5mm x 300mm PVC interlocking protection sheet complete with warning signs	m	322.08
	140	Cable route markers	No	481.03
		CHANNELS AND TRUNKING		
		Galvanised channeling :		
	141	O-L1000	m	303.85
	142	Power skirting	m	781.40
	143	UPS Plugs for power skirting	No	491.73
	144	Power plugs for power skirting	No	446.34
	145	O-L2000	m	283.74
	146	O-L4000	m	289.77
	147	O-L8000	m	370.51
	148	O-L8300	m	352.37
	149	O-L9000	m	403.69
		PVC trunking "EGA" trunking :		
	150	16 x 16mm	m	39.47
	151	25 x 16mm	m	49.00
		Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
152	40 x 16mm	m	67.96
153	40 x 25mm	m	78.14
154	40 x 40mm	m	88.66
	WIRING AND CABLES		
	PVC wires :		
155	1.5mm²	m	9.83
156	2.5mm²	m	13.04
157	4mm²	m	16.76
158	6mm ²	m	25.16
159	10mm²	m	35.52
160	16mm²	m	152.72
	Bare copper wires :		
161	1.5mm ²	m	10.06
162	2.5mm ²	m	12.26
163	4mm²	m	16.52
164	6mm²	m	20.64
165	10mm²	m	26.99
166	16mm²	m	43.89
167	25mm²	m	68.19
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
	Silicone insulated wires asbestos :		
168	2.5mm²	m	24.96
169	4mm²	m	33.54
170	6mm ²	m	48.20
	Underground cable PVC SWA PVC installed :		
171	2 Core 2.5mm²	m	56.33
172	3 Core 2.5mm²	m	64.45
173	4 Core 2.5mm²	m	71.70
174	3 Core 4mm²	m	74.93
175	4 Core 4mm²	m	90.32
176	2 Core 6mm²	m	81.20
177	3 Core 6mm²	m	99.05
178	4 Core 6mm²	m	112.54
179	2 Core 10mm²	m	109.15
180	3 Core 10mm²	m	124.20
181	4 Core 10mm²	m	151.32
182	2 Core 16mm²	m	144.99
183	3 Core 16mm²	m	167.28
184	4 Core 16mm²	m	214.77
185	2 Core 25mm²	m	219.25
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works

on Low Tension Installations,Volume 2 Kavango West Region

Ī	<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
	186	3 Core 25mm²	m	291.98
	187	4 Core 25mm²	m	323.32
	188	4 Core 35mm²	m	419.07
	189	4 Core 50mm²	m	531.32
	190	4 Core 70mm²	m	767.91
	191	4 Core 95mm²	m	1,020.71
	192	4 Core 120mm²	m	1,198.54
		Surfix cables installed:		
	193	1.5mm² Surfix cable 2 core + Earth	m	35.22
	194	1.5mm² Surfix cable 3 core + Earth	m	43.41
	195	2.5mm² Surfix cable 2 core + Earth	m	45.57
	196	2.5mm² Surfix cable 3 core + Earth	m	52.88
	197	2.5mm² Surfix cable 4 core + Earth	m	62.41
	198	4mm² Surfix cable 2 core + Earth	m	65.51
	199	4mm² Surfix cable 3 core + Earth	m	78.23
	200	4mm² Surfix cable 4 core + Earth	m	87.79
		CABLE TERMINATIONS OF THE FOLLOWING CABLES		
	201	2 Core 2.5mm²	No	117.81
	202	3 Core 2.5mm²	No	119.60
	203	2 Core 4mm²	No	130.60
		Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
204	3 Core 4mm²	No	146.06
205	4 Core 4mm²	No	153.88
206	2 Core 6mm²	No	152.83
207	3 Core 6mm²	No	148.93
208	4 Core 6mm²	No	157.11
209	2 Core 10mm²	No	157.37
210	10mm² Wire termination	No	79.38
211	3 Core 10mm²	No	175.02
212	4 Core 10mm²	No	181.48
213	2 Core 16mm²	No	184.39
214	16mm² Wire termination	No	110.36
215	3 Core 16mm²	No	217.69
216	4 Core 16mm²	No	253.03
217	2 Core 25mm²	No	258.60
218	3 Core 25mm²	No	262.83
219	4 Core 25mm²	No	270.21
220	4 Core 35mm²	No	406.72
221	4 Core 50mm²	No	554.84
222	4 Core 70mm²	No	667.84
223	4 Core 95mm²	No	808.70
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No.
Maintenance, Renovations, Repairs and Minor New Works

on Low Tension Installations,Volume 2 Kavango West Region

<u>Item</u>		<u>Unit</u>	<u>Rate</u>
<u>No</u>			
224	Welding cable termination	No	210.52
225	4 Core 120mm²	No	987.05
	PVC Cable terminations:		
226	No 0 glands	No	50.87
227	No 1 glands	No	53.40
228	No 2 glands	No	67.52
	Metal Cable terminations:		
229	No 0 glands	No	105.01
230	No 1 glands	No	138.72
231	No 2 glands	No	219.79
232	No 3 glands	No	318.85
233	No 4 glands	No	484.37
234	No 5 glands	No	702.44
235	No 6 glands	No	884.70
236	No 7 glands	No	1,126.05
	Cable joints PVC "Pratley" or "Scotch" to the following :		
237	2 Core 2.5mm²	No	305.15
238	3 Core 2.5mm²	No	305.67
239	2 Core 4mm²	No	323.66
240	3 Core 4mm²	No	387.22
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
241	4 Core 4mm²	No	397.11
242	2 Core 6mm²	No	458.30
243	3 Core 6mm²	No	465.99
244	4 Core 6mm²	No	486.01
245	2 Core 10mm²	No	502.18
246	3 Core 10mm²	No	537.23
247	4 Core 10mm²	No	557.66
248	2 Core 16mm²	No	587.89
249	3 Core 16mm²	No	597.65
250	4 Core 16mm²	No	662.71
251	2 Core 25mm²	No	820.87
252	3 Core 25mm²	No	898.09
253	4 Core 25mm²	No	1,090.39
254	4 Core 35mm²	No	1,288.87
255	4 Core 50mm²	No	1,601.63
256	4 Core 95mm²	No	2,504.46
257	4 Core 70mm²	No	2,095.05
258	4 Core 95mm²	No	2,777.40
259	4 Core 120mm²	No	4,346.42
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	"Pratley" aluminium alloy, epoxy coated cable boxes excluding accessories but including installation:		
200	Right angle box No. 2 three way :	No	4 240 52
260	With circuit breaker	No 	1,210.52
261	Without circuit breaker	No	968.34
	Parallel entry box No. 2 three way :		
262	With circuit breaker	No	1,136.19
263	Without circuit breaker	No	966.59
	DILLA CO		
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works

on Low Tension Installations,Volume 2 Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	<u>SWITCHES</u>		
	16Amp switches:		
264	Single lever industrial type surface mounted	No	197.35
265	Two lever industrial type surface mounted	No	272.08
266	Three lever industrial type surface mounted	No	713.41
267	Rotary water tight industrial type surface mounted	No	391.30
268	1 Lever 1 way flush with cover plate	No	131.33
269	1L Two way complete	No	162.98
270	Intermediate complete	No	369.36
271	2L Two way complete	No	222.37
272	3L Two way complete	No	265.17
273	1L One way switch without cover plate	No	146.72
274	1L Two way switch without cover plate	No	139.72
275	2L One way complete	No	171.65
276	3L One way complete	No	223.02
	Pull switch 10Amp:		
277	Complete with cord	No	244.22
278	Replacement of cord	No	70.32
279	"Eagle" type pull switch	No	228.77
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works

on Low Tension Installations,Volume 2 Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
1.00	Daylight switches :		
280	10 Amp dimmer switch	No	915.11
281	24 Hours timers with spring reserve	No	1,135.39
282	10 Amp including mounting bracket surface mounted as national or other equal or approved	No	890.64
283	10 Amp "window" mounted in boards or kiosks with adjustable sensitivity and separate rail mounted switching unit similar or equal to BBT	No	747.21
	Cover only for one lever switch :		
284	Metal ivory	No	51.84
285	PVC	No	44.75
	Cover only for two lever switch :		
286	Metal ivory	No	52.07
287	PVC	No	44.75
	Cover only for three lever switch :		
288	Metal ivory	No	51.17
289	PVC	No	44.63
	Bell items:		
290	10A Single lever bell switch	No	170.81
291	22V/12V Standard bell transformer rail mounted	No	747.25
292	110mm Diameter, 220V bell unit	No	923.16
	Bell transformers :		
293	Transformer 220-12-24V	No	617.25
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
294	80mm Diameter, 24V bell units	No	778.95
	Sirens :		
295	220V 500m	No	1,395.43
296	220V 1000m	No	1,732.19
	Socket outlet :		
297	Surface type industrial metal switched socket outlet	No	271.43
298	Water tight switched socket outlet (surface mounted)	No	398.97
299	Water tight surface socket outlet PVC	No	416.57
	Flush mounted :		
300	Single outlet 100 x 50mm complete with cover	No	189.31
301	Double outlet 100 x 50mm complete with cover	No	207.81
302	Single outlet 100 x 100mm complete with cover	No	208.74
303	Double outlet 100 x 100mm complete with cover	No	240.88
	Cover only to single outlet 100mm x 50mm :		
304	UPS skirting plug	No	68.51
305	Standard power skirting plug	No	68.51
306	Metal ivory	No	60.45
307	PVC	No	57.33
	Cover only to single outlet 100mm x 100mm :		
308	Metal ivory	No	64.09
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u>		<u>Unit</u>	<u>Rate</u>
<u>No</u> 309	PVC	No	57.40
	Cover only to double outlet 100mm x 100mm :		
310	Metal ivory	No	67.72
311	PVC	No	62.60
	Replace or install the following extension boxes :		
312	100 x 50mm	No	79.48
313	100 x 100mm	No	95.60
	Galvanised wall boxes for switchesor socket outlets :		
314	100 x 50mm	No	77.94
315	100 x 100mm	No	86.37
	<u>In concrete :</u>		
316	100 x 50mm	No	80.83
317	100 x 100mm	No	95.43
	PVC surface "EGA" boxes :		
318	100 x 50mm	No	79.86
319	100 x 50mm Blank cover only	No	70.72
320	100 x 100mm	No	97.01
321	100 x 100mm Blank cover only	No	74.04
	Draw boxes miscellaneous junctions :		
322	60mm Diameter PVC	No	67.81
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
323	60mm Diameter metal	No	101.91
	ISOLATORS UP TO 63 AMP		
	Double pole isolators only :		
324	Double pole isolator, rail mounted	No	571.86
325	As above, but surface mounted including enclosure	No	831.32
326	Triple pole isolator, rail mounted	No	833.17
327	As above, but surface mounted including enclosure	No	1,052.91
	INDUSTRIAL POWER PLUGS		
	Single Phase:		
328	16Amp 110Volt	No	421.17
329	16Amp, 230Volt	No	490.76
330	32Amp 230Volt	No	677.03
331	125Amp, 230Volt	No	2,047.64
	Three Phase:		
332	16Amp 380Volt	No	499.37
333	16Amp, 415Volt	No	571.73
334	32Amp 380Volt	No	662.91
335	32Amp, 415Volt	No	1,151.97
336	63Amp 380Volt	No	1,734.92
337	63Amp, 415Volt	No	1,862.42
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
338	125Amp, 380Volt	No	3,719.16
339	125Amp, 415Volt	No	4,017.86
	MINIATURE CIRCUIT BREAKER 2,5Ka "HEINEMAN"		
	Single pole :		
340	1-10 Amp	No	290.68
341	15-25 Amp	No	300.43
342	30-40 Amp	No	306.68
343	45-60 Amp	No	317.92
	Double pole :		
344	1-10 Amp	No	883.25
345	15-25 Amp	No	971.28
346	30-40 Amp	No	984.39
347	45-60 Amp	No	1,017.81
	Triple pole :		
348	1-10 Amp	No	1,202.41
349	15-25 Amp	No	1,331.04
350	30-40 Amp	No	1,362.63
351	45-60 Amp	No	1,351.13
	MINIATURE CIRCUIT BREAKER 6Ka "HEINEMAN"		
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
	Single pole :		
352	1-10 Amp	No	300.27
353	15-25 Amp	No	314.39
354	30-40 Amp	No	326.30
355	45-60 Amp	No	346.01
356	80-100 Amp	No	514.55
357	125-175 Amp	No	783.47
	Double pole :		
358	1-10 Amp	No	904.76
359	15-25 Amp	No	957.24
360	30-40 Amp	No	981.76
361	45-60 Amp	No	1,106.86
362	80-100 Amp	No	1,970.16
	Triple pole:		
363	1-10 Amp	No	1,261.20
364	15-25 Amp	No	1,327.24
365	30-40 Amp	No	1,377.08
366	45-60 Amp	No	1,380.20
367	80-100 Amp	No	2,324.57
	MINIATURE CIRCUIT BREAKER 6Ka "DIN"		
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
110	Single pole :		
368	1-3 Amp	No	493.81
369	5-25 Amp	No	529.76
370	32-45 Amp	No	552.29
371	50-63 Amp	No	641.89
372	80 Amp	No	1,026.35
	Double pole :		
373	1-3 Amp	No	940.73
374	5-25 Amp	No	1,105.27
375	32-45 Amp	No	1,159.17
376	50-63 Amp	No	1,295.44
377	80 Amp	No	1,745.37
	Triple pole :		
378	1-3 Amp	No	1,456.31
379	5-25 Amp	No	1,454.95
380	32-45 Amp	No	1,530.31
381	50-63 Amp	No	1,676.03
382	80 Amp	No	2,672.54
	"JSO" CIRCUIT BREAKERS		
383	100 ATP	No	3,623.67
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
384	150 ATP	No	3,970.47
385	200 ATP	No	5,232.07
386	250 ATP	No	5,807.78
387	300 ATP	No	7,888.97
388	350 ATP	No	8,554.88
389	400 ATP	No	9,031.89
390	600 ATP	No	11,133.55
391	800 ATP	No	12,721.68
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	MINIATURE EARTH LEAKAGE UNIT WITH OVERLOAD PROTECTION 6Ka "HEINEMAN"		
	Single pole :		
392	15-30 Amp	No	3,154.31
393	40-60 Amp	No	3,227.03
394	80-100 Amp	No	4,049.99
	Triple pole:		
395	15-30 Amp	No	5,117.39
396	40-60 Amp	No	5,300.50
397	80-100 Amp	No	7,399.24
	MINIATURE EARTH LEAKAGE UNIT WITH OVERLOAD PROTECTION 6Ka "DIN"		
	Single pole :		
398	5-25 Amp	No	1,342.34
399	32-45 Amp	No	1,485.55
400	50-63 Amp	No	1,754.69
	Triple pole :		
401	5-25 Amp	No	2,565.34
402	32-45 Amp	No	2,738.96
403	50-63 Amp	No	3,960.85
	MINIATURE EARTH LEAKAGE UNIT WITHOUT OVERLOAD PROTECTION 5ka "HEINEMAN"		
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	Single pole :		
404	15-30 Amp	No	2,396.88
405	40-60 Amp	No	2,207.13
	Triple pole:		
406	15-30 Amp	No	4,791.68
407	40-60 Amp	No	5,436.21
	MINIATURE EARTH LEAKAGE UNIT WITHOUT OVERLOAD PROTECTION 3Ka "DIN"		
	Single pole:		
408	5-25 Amp	No	2,111.33
409	32-45 Amp	No	2,274.81
410	50-63 Amp	No	2,540.14
	Single pole:		
411	5-25 Amp	No	2,739.67
412	32-45 Amp	No	2,956.82
413	50-63 Amp	No	3,727.06
414	Miniature adaptor clips	No	709.68
	CONTACTOR 220V SIMILAR TO "DIL CONTRACTORS KLOCKNER MOLLER"		
415	3kW	No	987.01
416	5.5kW	No	1,128.22
417	11kW	No	1,542.44
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
418	15kW	No	1,947.67
	CONTACTOR 380V SIMILAR TO "DIL CONTRACTORS KLOCKNER MOLLER"		
419	11kW	No	1,895.37
420	15kW	No	2,264.80
421	22kW	No	3,133.82
422	30kW	No	3,982.10
	ENERGY CONTROL UNITS "HEINEMANN"		
423	SA-ECU 21A/15A	No	1,442.26
424	SA-ECU 21A/25A	No	1,612.75
	SAFETY BLANKS INSTALLED FOR COVERING		
425	Safety blank ("Samite")	No	35.75
426	Blanking plate per module ("DIN")	No	68.04
	TIMERS 220V		
427	24 Hours time, setting with 15 minutes intervals	No	1,558.40
428	72 Hours spring reserve, rail mounted	No	1,814.18
429	Surface enclosure and accessories for above only	No	849.62
	METAL PENDANT FITTING		
	Aluminium rod pendant with fluted oval glass with open bottom entry minimum 900mm diameter, suitable for 60W lamps - similar or equal to "BEKA DR-1":		
430	1 Light pendant fitting complete	No	535.91
431	2 Light pendant fitting complete	No	676.26
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
432	3 Light pendant fitting complete	No	1,121.76
433	1 Light wall bracket	No	410.25
434	Fluted glass for replacement only	No	243.07
	Oval open bottom polycarbonate fitting similar or equal to "LASCON V2/0" :		
435	Porcelain gallery	No	139.65
	Oval spherical bowl fitting gallery only scewneck 78mm diameter :		
436	Ceiling porcelain	No	413.34
437	Angle porcelain	No	521.07
	Oval spherical bowl fitting gallery only scewneck 100mm diameter :		
438	Ceiling porcelain	No	152.83
439	Angle porcelain	No	190.81
	Oval spherical bowls only:		
440	150mm Diameter glass	No	101.34
441	180mm Diameter glass	No	179.97
442	180mm Diameter polycarbonate	No	169.77
	Round bulkhead fitting with white reflector and clear polycarbonate similar or equal to "UNILUX 7610":		
443	With lampholder - 100W ES fitting complete	No	796.22
444	With lampholder - 1PL9 fitting complete	No	1,289.87
445	With lampholder - 2PL9 fittings complete	No	1,272.51
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
	Square bulkhead fitting with white reflector and clear polycarbonate similar or equal to "LASCON B20":		
446	With lampholder - 100W ES fitting complete	No	2,003.33
447	With lampholder - 1PL9 fitting complete	No	1,054.61
448	With lampholder - 2PL9 fittings complete	No	942.15
	Wellglass fitting:		
449	Complete as type "Waco" 100 watt with 20mm diameter screwed entry	No	195.34
	Sundries :		
450	Shave/mirror light with safety isolation transformer as "Legrand Type 60665" or other equal and approved	No	1,537.48
451	Angle bulkhead fittings as "Lascon B15"	No	585.94
452	Brass batten lampholder "BC"	No	80.60
453	Brass batten lampholder "BC", 100mm entry with shade ring	No	88.32
	FLUORESCENT FITTINGS COMPLETE WITH TUBES COMMERCIAL TYPE SIMILAR OR EQUAL TO "ZUMTOBEL ZLN SYSTEM"		
	Fluorescent "GEA" tray complete with mounting bracket (cover) for surface insallation switch start, but excluding diffusers, standard bi-pin lampholders instead of the ratchet type are not acceptable:		
454	1 x 18W	No	574.17
455	2 x 18W	No	728.66
456	1 x 36W	No	618.76
457	2 x 36W	No	789.40
458	1 x 58W	No	744.24
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u>		<u>Unit</u>	<u>Rate</u>
<u>No</u> 459	2 x 58W	No	949.61
	Brightness recessed fittings :		2 10.01
460	2 x 36W Low	No	2,010.11
461	4 x 36W Low	No	2,041.85
	Fluorescent fittings with water tight polycarbonate diffuser "IP65":		2,011.00
462	1 x 58W	No	1,358.25
463		No	
403	2 x 58W	INO	1,945.80
	Surface mounted fluorescent fittings complete with tubes and prismatic diffuser similar or equal to "Lascon M6":		
464	1 x 36W	No	879.06
465	2 x 36W	No	1,030.30
466	1 x 58W	No	1,093.70
467	2 x 58W	No	1,218.63
	Down lights complete		
	Same as above but suitable for installations in prisons. The fittings shall be equal or similar to :		
468	"Unilux 7612-2PL9" with "Allen-Key" to fasten the diffusers	No	2,316.51
	SECURITY FLOODLIGHTS		
	Complete with lamp but excluding mounting pole. Tungsten halogen or similar or equal to "Beka DL" or "Lascon L2" :		
469	Halogen 300 - 500W	No	478.31
470	Halogen 100W	No	401.06
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
471	Halogen 150W	No	394.20
	Discharge luminaries similar or equal to "Lascon L114ST" with asymmetrical reflector :		
472	70/HP-E (Symmetrical reflector only)	No	2,276.00
473	-125W/MV-E (Symmetrical reflector only)	No	1,953.39
474	-250W/HP-T	No	3,505.53
475	-400W/HPD-T	No	4,391.62
476	Securi flood 2 x 250Watt HPS	No	10,551.22
477	Securi flood 2 x 400Watt HPS	No	10,674.25
	STREET AND PARKING AREA LIGHTS		
	Complete with lamp including installation but excluding mounting pole, similar or equal to		
478	"Beakalux" or "Lascon SL1" : -80W/MV-E	No	2,168.73
479	-125W/MV-E	No	2,257.03
480	-250W/MV-E	No	4,246.50
481	-400W/MV-E	No	6,881.12
482		No	2,678.91
	-70W/HPS-E		
483	-100W/HPS-E	No	3,222.44
484	-150W/HPS-E	No	3,684.23
485	-250W/HPS-E	No	5,002.36
486	-400W/HPS-E	No	7,654.40
	Bill No. 2		
	LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
110	Complete with lamp including installation but excluding mounting pole, similar or equal to "Beka Decor" or "Lascon SK3/SK4" :		
487	-200W/ES	No	2,191.62
488	-160W/MB	No	2,360.41
489	-125W/MV-E	No	2,646.24
490	-70W/HPS-E	No	2,619.24
	Area lights - wall mounted similar or equal to "Lascon B41" :		
491	-125W/MV-E	No	3,776.97
492	-70W/HPS-E	No	3,172.75
	Dill No. 2		
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		
	Initial nere		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
	MOUNTING POLES WITHOUT CANTILEVER INCLUDING INSTALLATION BUT EXCLUDING POLE HOLE AND CONCRETE BASE (LPH = LIGHT POINT HEIGHT)		
	Galvanised poles:		
493	3m LPH	No	3,910.01
494	4m LPH	No	4,802.07
495	6m LPH	No	6,531.88
496	8m LPH	No	8,037.09
	Fibreglass poles :		
497	3m LPH	No	4,652.05
498	4m LPH	No	5,696.56
499	6m LPH	No	7,585.08
500	8m LPH	No	11,274.39
	Wooden poles :		
501	6m Length including installation but excluding pole hole	No	2,776.32
502	9.3m Length including installation but excluding pole hole	No	3,073.46
	PVC sleeve pipes with draw wire :		
503	110mm On surface (in trench or similar)	m	287.85
504	110mm In brick	m	313.68
505	110mm In concrete	m	974.78
	Pitch fibre (Class C) sleeve pipes with draw wire :		
506	110mm On surface (in trench or similar)	m	353.69
	Bill No. 2		
	LOW TENSION DISTRIBUTION Initial here		
	Titlat Hoto		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
507	110mm In brick	m	367.59
508	110mm In concrete	m	344.40
	<u>LAMPS</u>		
	Incandescent 40 - 100 watt "BC" or "ES" 250 volts lamps :		
509	1 - 5 Lamps	No	34.42
510	1 - 25 Lamps	No	34.42
511	More than 25 lamps	No	41.22
	Incandescent 150 - 200 watt "BC" or "ES" 250 volts lamps :		
512	1 - 5 Lamps	No	54.65
513	1 - 25 Lamps	No	54.65
514	More than 25 lamps	No	53.53
	<u>TUBES</u>		
	Fluorescent 610mm - 18 watt white "SS" or "RS" lamps :		
515	1 - 5 Lamps	No	55.33
516	1 - 25 Lamps	No	55.33
517	More than 25 lamps	No	56.28
	Fluorescent 1 220mm x 36mm - 36 watt white "SS" lamps :		
518	1 - 5 Lamps	No	58.33
519	1 - 25 Lamps	No	58.33
520	More than 25 lamps	No	59.06
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
1 110	Fluorescent 1 220mm 40 watt white "RS" :		
521	1 - 5 Lamps	No	69.73
522	1 - 25 Lamps	No	69.71
523	More than 25 lamps	No	72.03
	Fluorescent 1 524mm 58 watt white "SS" lamps :		
524	1 - 5 Lamps	No	65.08
525	1 - 25 Lamps	No	66.13
526	More than 25 lamps	No	69.13
	Fluorescent 2 440mm (8ft) 58 watt white "Slimline" lamps :		
527	1 - 5 Lamps	No	105.57
528	1 - 25 Lamps	No	104.78
529	More than 25 lamps	No	140.13
	Fluorescent saving lamps :		
530	"Phillips SL" 9 watt	No	768.14
531	"Phillips SL" 18 watt	No	128.26
532	"PL" 7 watt	No	90.84
533	"PL" 9 watt	No	90.17
534	"PL" 11 watt	No	118.56
535	"PL" 13 watt	No	98.31
536	"2D" 16 watt	No	95.52
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works on Low Tension Installations, Volume 2

Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	<u>LAMPS</u>		
	Tungsten halogen 250 volt :		
537	300/500 Watt	No	118.00
538	1000 Watt	No	139.30
539	1500 Watt	No	197.30
	Mercury vapour :		
540	80 Watt	No	127.78
541	125 Watt	No	162.94
542	250 Watt	No	300.51
543	400 Watt	No	319.15
544	160 Watt mercury blended	No	243.26
	High pressure sodium :		
545	70 Watt HPS - E	No	384.22
546	100 Watt HPS - E	No	491.05
547	50 Watt HPS - E	No	486.32
548	250 Watt HPS - E	No	338.17
549	400 Watt HPS - E	No	346.24
550	250 HPS - T	No	344.93
551	400 HPS - T	No	376.00
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works on Low Tension Installations, Volume 2 Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	Energy saving bulbs "BC" or "ES" :		
552	9 Watt	No	74.37
553	12 Watt	No	73.10
554	14 Watt	No	76.34
555	24 Watt	No	127.56
	Control gear for "HPS / MV" :		
556	MW choke 80W	No	338.34
557	MW choke 400W	No	530.15
558	MW choke 250W	No	598.14
559	MW choke 400W	No	626.28
560	HPS choke 100W	No	477.07
561	HPS choke 150W	No	651.40
562	HPS choke 250W	No	711.65
563	HPS choke 400W	No	674.31
564	HPS ignitor 100W	No	333.78
565	HPS ignitor 150W	No	330.10
566	HPS ignitor 250W/400W	No	286.78
567	Capacitor 25uF/250V	No	186.93
568	Capacitor 8uF/250V	No	303.46
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works on Low Tension Installations, Volume 2

Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
_	Control gear for fluorescent fittings :		
569	"Slimline" 2 x 75W	No	590.47
570	Rapid start 2 x 40W	No	433.84
571	1 x 20W switch start ballast	No	123.45
572	1 x 40W switch start ballast	No	144.40
573	1 x 60W switch start ballast	No	149.16
574	1 x Capacitor for 40 Watt lamp	No	138.37
575	1 x Capacitor for 65 Watt lamp	No	137.35
576	PL - 7 - 9W ballast	No	158.56
577	PL 11W ballast	No	154.70
578	2PL - 7 - 9W ballast	No	192.22
579	2PL - 13W ballast	No	197.22
580	2D - 16W ballast	No	225.08
	Lampholders fluorescent :		
581	Telescope type two pin	No	119.87
582	Telescope type single pin	No	113.27
583	Ratchet type one lamp fitting	No	92.40
584	Ratchet type two lamp fitting	No	92.11
	Starters for fluorescent fittings:		
585	4 - 80 Watt universal type "S10"	No	59.80
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
586	Lamps with diachroid reflector	No	152.87
587	20W	No	110.99
588	35W	No	110.57
589	50W	No	159.41
	Safety transformers 220V/12V with fuse and protected terminals :		
590	50W	No	686.66
591	200W	No	839.59
	ELECTRIC GEYSERS		
592	Replace thermostat	No	543.39
593	Spiral type hardwater 2kW	No	750.30
594	Replace element (for porcelain type element)	No	759.93
595	Replace spiral type element hardwater 3kW	No	869.80
596	Replace 3kW element ("Sadia" geyser)	No	726.82
597	Replace 0.75kW immersion type element	No	693.75
598	Replace 1.5kW immersion type element	No	695.66
599	Replace 2kW immersion type element	No	839.50
600	Replace kwick heat blue element with thermostat 2kW	No	1,243.05
601	Replace 3kW immersion type element	No	1,053.39
	EXISTING INSTALLATIONS : GENERAL WORK		
602	Replace indoor type lighting arrestor	No	753.25
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
603	Replace hinges of outdoor meter box or distribution board	No	371.58
604	Replace door catch of outdoor meter box or distribution board	No	424.40
605	Replace staple and hasp	No	501.92
606	Replace indoor distribution board face plate	No	689.46
607	Replace indoor distribution board door	No	708.75
608	Cover for outdoor distribution board	No	720.79
	Replace "Yorkshire" fuse or circuit breaker with "New Pole" type circuit breaker and drip-roof box :		
609	Single phase	No	1,118.90
610	Three phase	No	1,750.07
611	Connect/disconnect existing power supply to electrical appliances, motors or other equipment	No	405.68
	Replace "HRC" fuse cartridges :		
612	0.5 - 15 Ampere	No	221.08
613	60 - 100 Ampere	No	451.37
614	150 - 200 Ampere	No	695.50
615	300 - 400 Ampere	No	1,072.77
616	500 Ampere	No	1,353.83
	EARTHING AND BONDING		
617	Earthing of metal roof with 50mm² copper wire in 25mm conduit connected to 1,5mm earth spike	No	988.03
618	Earthing and bonding of roof, downpipes and gutter (per bumper strap of connection, not exceeding 1 metre)	No	406.69
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No.
Maintenance, Renovations, Repairs and Minor New Works

on Low Tension Installations,Volume 2 Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
619	Bond waste pipes to cold water pipes (not exceeding 1 metre length)	No	478.44
	CABLE CONNECTION TO MAIN POWER OVERHEAD DISTRIBUTION LINE		
	Including fastening of cable into standard municipal wooden pole by stainless steel strappers, wire clamps to Q.H. wires and trenching shall be EXCLUDED:		
620	Single phase + neutral	No	1,411.84
621	Three phase + neutral	No	1,593.05
	COVERS ONLY TO OUTDOORS DB		
622	SK0	No	791.01
623	SK2	No	1,056.25
624	SK3	No	956.49
625	SK5	No	1,475.88
	METER BOARDS, DISTRIBUTION BOARDS AND SUPPLY MAINS		
	Flush Mounted:		
626	2 Way	No	1,955.97
627	4 Way	No	2,626.01
628	6 Way	No	3,980.64
629	8 Way	No	4,931.80
630	10 Way	No	4,756.01
631	12 Way	No	6,292.55
632	15 Way	No	7,298.67
633	18 Way	No	8,330.69
	Bill No. 2		
	LOW TENSION DISTRIBUTION Initial here		
	Titual nete		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works on Low Tension Installations, Volume 2 Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
634	24 Way	No	9,001.92
635	36 Way	No	10,118.34
636	45 Way	No	12,151.57
	Flush Mounted with Galvanised Steel Tray:		
637	12 Way	No	7,377.73
638	15 Way	No	7,951.50
639	18 Way	No	8,787.61
	Surface Mounted:		
640	2 Way	No	2,175.12
641	4 Way	No	3,335.36
642	6 Way	No	4,063.35
643	8 Way	No	4,566.11
644	10 Way	No	4,809.57
645	12 Way	No	5,389.70
646	15 Way	No	6,312.96
647	18 Way	No	7,237.63
648	24 Way	No	8,553.84
649	36 Way	No	10,840.78
650	45 Way	No	13,163.45
	Bill No. 2 LOW TENSION DISTRIBUTION		
	Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
1.10	FIBREGLASS DISTRIBUTION KIOSK COMPLETE		
651	6 Way double door	No	11,685.26
652	12 Way double door	No	15,978.94
653	18 Way double door		18,915.81
	SUPPLY AND INSTALLATION OF CABLE ENTRY SLEEVES AND CHANNELS		
654	Internal supply mains from meterboard to DB consisting of 2 x 16mm PVC insulated conductors and 1 x 10mm BC earth wire per metre run	m	1,022.58
655	Internal supply mains from roof to meter board as item above and including roof connection as per std.spc WS20	m	515.11
656	Overhead bundle conductors	m	414.96
657	Supply and install single phase roof box	No	1,335.87
658	Supply and install three phase roof box	No	1,926.76
	INSTALL AND CONNECT ISOLATOR, EARTH LEAKAGE OR CIRCUIT BREAKER AT DB. MATERIAL SUPPLIED BY OTHERS		
659	Single pole	No	399.31
660	Double pole	No	564.50
661	Triple pole	No	888.00
	REWIRING OF EXISTING LIGHT CIRCUIT		
662	Rewire existing light circuit to meet standard of wiring. The price shall be given per metre circuit- run, but shall EXCLUDE all necessary disconnection and reconnection or appliances removal work. Termination work at the distribution board as well as withdraw of existing wires shall be INCLUDED	m	164.20
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	DISCONNECT, REMOVE, REINSTALL AND RECONNECT		
663	Light switches for above	No	634.09
	LIGHT FITTINGS OF VARIOUS TYPES AS MENTIONED PREVIOUSLY		
664	1 - 5 Fittings	No	678.72
665	1 - 25 Fittings	No	3,124.33
666	More than 25 fittings		6,157.57
	SOCKET OUTLET POINTS		
667	Rewire existing socket circuit by means of 2 x 4mm² PVC wires plus 2.5mm² BCEW. The price shall be given per metre circuit-run, but shall EXCLUDE all necessary disconnection and reconnection or appliances removal work. Termination work at the distribution board as well as	m	191.27
	withdrawing of existing wires shall be included		
668	Single switched socket	No	254.12
669	Dual switched socket	No	382.14
	INSTALL STOVE OUTLET POINT		
670	Stove isolator	No	474.73
671	Withdraw existing stove circuit wiring and rewire to include 2 x 6mm 253 conductors plus 4mm ² earth wire (invoiced per metre run)	m	353.28
672	Withdraw existing stove circuit wiring and rewire to include 2 x 6mm 253 conductors plus 4mm² earth wire (invoiced per metre run)		489.78
673	Replace flexible stove connection consisting 2 x 6mm² PVC conductors plus 4mm² earth wire in "Kopex" tubing. Allow for 1.50 metre 25mm tubing with compression glands		580.31
	GEYSER CONNECTIONS		
674	Withdraw existing geyser circuit wiring and rewire to include 2 x 4mm² PVC conductors plus 2.5mm² earth wire (invoiced per metre run)	m	270.31
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
675	Replace 20mm spraque connection with 20mm flexible "Kopex" connection per metre length including disconnection and reconnection of conductors and 2 x glands		346.71
	WEATHERPROOF AND GEYSERS		
676	Replace weatherproof isolator		945.27
677	Install weatherproof isolator		942.02
678	Install geyser connection excluding weatherproof isolator		778.02
679	Isolator to include 2 x 4mm² conductors plus 2.5mm² earthwire per metre run		440.19
	<u>SUNDRIES</u>		
680	One lever two way type surface mounted	No	306.76
681	Three lever two way type surface mounted	No	386.05
682	Surface type dual industrial metal switch socket	No	438.49
683	Flush mounted 100mm x 50mm computer switch plug + cover		378.46
684	Single outlet 100mm x 100mm computer switch plug + cover	No	441.74
685	Dual outlet 100mm x 100mm computer switch plug + cover	No	439.14
686	Round blank cover plate	No	36.24
687	Metal round blank cover plate oversize	No	64.01
688	Metal round blank cover plate oversize with knockout	No	307.15
689	Contractor 240V complete	No	2,000.18
690	Disconnection of single phase + neutral		435.73
691	Disconnection of three phase + neutral		397.76
	Bill No. 2 LOW TENSION DISTRIBUTION Initial here		



Annual Bid No. Maintenance, Renovations, Repairs and Minor New Works on Low Tension Installations, Volume 2

Kavango West Region

<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	Conventional Meters:		
	<u>Digital Meters:</u>		
692	Single phase meter board complete outdoor	No	2,777.63
693	Three phase meter board complete outdoor	No	3,561.84
	Analogue Meters:		
694	Single phase meter board complete outdoor	No	3,277.85
695	Three phase meter board complete outdoor	No	4,949.02
	Pre-paid Meters:		
696	Pre-paid single phase	No	2,734.60
697	Pre-paid three phase	No	5,943.38
698	Rewire single distribution board to standard	No	1,295.42
699	Rewire three phase board to standard	No	1,836.08
700	SABS 1524 Glass 2 5 -60A ready box complete	No	1,609.84
701	Disconnect, remove, reinstall and reconnect cable at single phase distribution board	No	1,749.97
702	Labelling of single phase distribution board	No	434.73
703	Disconnect, remove, reinstall and reconnect cable at three phase distribution board	No	1,707.65
704	Labelling of three phase distribution board	No	733.53
	Bill No. 2		
	LOW TENSION DISTRIBUTION Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	Rate
<u>. 100</u>	BILL No 3		
	NON-SCHEDULED WORK		
	<u>NOTES</u>		
	The following must be priced by the Tenderer. Failure to do so or to only price some of the items in this Bill will result in the Tenderer being DISQUALIFIED.		
	Tenderers are to take note of the method of calculating the Contract Sum and the order of calculating the Contract Sum as clearly specified and stated in Volume 1 and 2.		
	NON-SCHEDULED MATERIAL		
	LABOUR RATES		
	<u>NOTES</u>		
	The following labour rates must be INCLUSIVE of all labour costs sush as social security costs, pensions, bonusses and the like.		
	The labour rates must also be INCLUSIVE of all supervision costs, foremen cost and the PROFIT on labour as no extra costs in connection herewith will be payable.		
705	Driver	Per Hr	61.28
706	Artisan	Per Hr	206.04
707	Artisan Foreman	Per Hr	269.07
708	Handyman	Per Hr	94.08
709	Workhand	Per Hr	68.39
710	Labourer	Per Hr	52.35
	Bill No. 3		
	NON-SCHEDULED WORK Initial here		



<u>Item</u> <u>No</u>		<u>Unit</u>	<u>Rate</u>
	EMERGENCY CALL OUTS		1
	<u>NOTES</u>		ı
	Payment of Emergency Call-Outs will only take place when the call-out is outside of normal working hours.		l
	Travelling time of labour will be paid at the all inclusive labour rates stated above within this Bill.		l
711	Fixed cost of Emergency Call-Out	No	1,006.10
712	Kilometre rate for transport of material and labour for journeys where distance is more than 25 kilometres from the Home Base or Branch Office (i.e. kilometre return journey)	No	12.08
	SELECTED SUB-CONTRACTORS		ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
	Bill No. 3 NON-SCHEDULED WORK		1
	Initial here		1
			ı



	FINAL SUMMARY			
<u>Bill</u> <u>No</u>		<u>Page</u> <u>No</u>		<u>Amount</u>
	GENERAL REPAIRS	6		Not Priced
	LOW TENSION DISTRIBUTION	52		Not Priced
	NON-SCHEDULED WORK	54		Not Priced
	Initial here		N\$	Not Priced
				I